


094000-0306 Diesel Fuel Pump HP0 Series Technical Data

SKU: Z1L30940000306

DIESEL CR FUEL PUMP




HP0



HP3

HP4

HP5



HP6

HP7

094000-0306 Diesel Fuel Pump HPO Series Technical Data

Content

1. 094000-0306 Diesel Fuel Pump Introduction	2
1.1. 094000-0306 Diesel Fuel Pump Basic Information	2
1.2. 094000-0306 Diesel Fuel Pump Common Part Number	2
1.3. 094000-0306 Diesel Fuel Pump Parameter	2
1.4. 094000-0306 Diesel Fuel Pump Specifications And Dimensions	2
1.5. 094000-0306 Diesel Fuel Pump Quality Control	3
1.6. 094000-0306 Diesel Fuel Pump Customized Service	3
1.7. 094000-0306 Diesel Fuel Pump Packing List and Package Size	4
1.8. 094000-0306 Diesel Fuel Pump Testing Standard and Certificate	5
1.9. 094000-0306 Diesel Fuel Pump Warranty Instructions	5
2. 094000-0306 Diesel Fuel Pump Technical Support	6
2.1. 094000-0306 Diesel Fuel Pump Use location	6
2.2. 094000-0306 Diesel Fuel Pump Installation	7
2.3. 094000-0306 Diesel Fuel Pump Not Working Normally	8
2.4. 094000-0306 Diesel Fuel Pump Causes of Being Damaged	8
2.5. 094000-0306 Diesel Fuel Pump Technical Support Obtaining Methods	8
3. 094000-0306 Diesel Fuel Pump Purchase and Delivery	9
3.1. 094000-0306 Diesel Fuel Pump Purchase Payment Term	9
3.2. 094000-0306 Diesel Fuel Pump Main Sales Markets	9
3.3. 094000-0306 Diesel Fuel Pump Declaration Requirements	9
3.4. 094000-0306 Diesel Fuel Pump Shipping Ways	9
3.5. 094000-0306 Diesel Fuel Pump Lead Time	9
3.6. 094000-0306 Diesel Fuel Pump Logistics Time for Destination Out of China's Areas	9
3.7. 094000-0306 Diesel Fuel Pump Packing	10
4. 094000-0306 Diesel Fuel Pump Storage Standard	10
5. Company Information	11
5.1. Company Introduction	12
5.2. Contact Information	12
6. Copyright Statement	13

094000-0306 Diesel Fuel Pump HPO Series Technical Data

1. 094000-0306 Diesel Fuel Pump Introduction

1.1. 094000-0306 Diesel Fuel Pump Basic Information

Title	094000-0306 Diesel Fuel Pump HPO Series	Quality
SKU	Z1L30940000306	Re-manufactured

1.2. 094000-0306 Diesel Fuel Pump Common Part Number

(1) Diesel Fuel Pump Exchange Information

Diesel Fuel Pump Part Number	OE Number
094000-0302	8-94392769-2
094000-0303	8-94392769-3
094000-0304	8-94392769-4
094000-0305	8-94392769-5
094000-0306	8-94392769-6

(2) Diesel Fuel Pump Application Information

Vehicle Brand	Car Model	Engine Model	Production Date
For ISUZU	TRUCK	6HK1	0201

(3) Diesel Fuel Pump Common Writing

094000-0300, 0940000300, 094000-0301, 0940000301, 094000-0302, 0940000302, 094000-0303, 0940000303, 094000-0304, 0940000304, 094000-0305, 0940000305, 094000-0306, 0940000306, 094000-0307, 0940000307, 094000-0308, 0940000308, 094000-0309, 0940000309, 094000-030#, 094000030#, 894392769-2, 894392769-5, 894392769-3, 894392769-6, 894392769-4, 8-943927692, 8-943927695, 8-943927693, 8-943927696, 8-943927694, 8943927692, 8943927695, 8943927693, 8943927696, 8943927694, 8-94392769-2, 8-94392769-5, 8-94392769-3, 8-94392769-6, 8-94392769-4

1.3. 094000-0306 Diesel Fuel Pump Parameter

Adaptation System: Common Rail System

Diesel Fuel Pump Series: HPO Series

Diesel Fuel Pump Type: Electromagnetic Common Rail Diesel Fuel Pump

1.4. 094000-0306 Diesel Fuel Pump Specifications And Dimensions

Diesel Fuel Pump Size: 40cm* 23cm *40cm

Diesel Fuel Pump Net Weight: 16.33Kg

Diesel Fuel Pump Gross Weight: 16.35kg

Diesel Fuel Pump Quality: Re-manufactured

Diesel Fuel Pump Package Size: 42cm* 25cm *42cm

Diesel Fuel Pump Type: High Pressure Common Rail Diesel Fuel Pump

Diesel Fuel Pump MOQ: 4 Pieces

1.5. 094000-0306 Diesel Fuel Pump Quality Control

(1) Diesel Fuel Pump Testing

All diesel fuel pumps are tested for electrical characteristics, accuracy, high temperature, low temperature, withstand voltage, leakage, durability, and various working conditions.

(2) Diesel Fuel Pump Assembling

For the quality control of the diesel fuel pump production and installation process, our company strictly follows the standard product installation data and product installation steps to install.

(3) Diesel Fuel Pump Inspection

The factory inspection of the diesel fuel pumps is undergone full inspection, random inspection, and batch inspection three inspections. Different brands of test benches are used to test the same diesel fuel pumps for more than three times for factory inspection, and the diesel fuel pumps installation testing environment are progressed in dust-free workshop.

1.6. 094000-0306 Diesel Fuel Pump Customized Service

(1) Diesel Fuel Pump Customized Service Coverage: Meet the customized needs of OEM manufacturers for shell lettering, logo engraving, diesel fuel pump internal packaging, diesel fuel pump external packaging and labels customized, etc.

		
Pump Housing Label	Packaging Box	White Label

(2) Diesel Fuel Pump Customized Service Requirements:

The quantity of customized diesel fuel pump shall not be less than 10 pieces.

The quantity of customized diesel fuel pump packages shall not be less than 1000 pieces.

Customized products involve the need of specify logo, the OEM manufacturer needs to provide trademark authorization and the sample of logo image Data.

⚠ Once the customized diesel fuel pump is sold, it cannot be returned or exchanged if there are no quality problems.

1.7. 094000-0306 Diesel Fuel Pump Packing List and Package Size

(1) Diesel Fuel Pump Spare Parts List

No.	1	2	3
Image			
Name	Diesel Fuel Pump Assy	Diesel Fuel Pump Protective Cover	White Anti-Rust Bag
Description	Diesel fuel pump Part Number :094000-0306	Protect the diesel fuel pump hole from contamination and blockage	Prevent diesel fuel pump from rusting
No.	4	5	6
Image			
Name	Lining	Packaging Box	White Label
Description	Prevent the pump from being damaged by external forces	Place the pump and its accessories	Product Number

⚠ Minors are prohibited from using the diesel fuel pump assembly, O-rings, diesel fuel pump housing covers, oil return covers, VCI anti-rust bags, and bubble bags to avoid personal injury.

⚠ The diesel fuel pump housing cover and oil return cover are recyclable accessories and can be recycled.

⚠ VCI anti-rust bags and bubble bags are non-degradable materials. Please dispose of them properly after use.

⚠ The diesel fuel pump and the installation parts guide tube should be treated with appropriate sealing oil during installation.

(2) Diesel Fuel Pump Box Size



No.	Name	Diesel Fuel Pump Packing Size (cm)
1	Diesel Fuel Pump Box	42*25*42

1.8. 094000-0306 Diesel Fuel Pump Testing Standard and Certificate

We can provide the factory quality inspection test report of each diesel fuel pump to ensure that each diesel fuel pump delivered meets the engine performance indicators.

BOTEN		测试报告		4.05.2019 10:42:09	
承接企业: _____					
电话: _____		地址: _____			
传真: _____		检测人: _____			
客户地址: _____		检测单位: _____			
电话: _____		客户姓名: _____			
传真: _____		检测日期: _____			
检测项目: _____					
检测名称: 康明斯					
型号-零件号: _____					
检测地点: _____					
检测结果					
检测标准: CDE002-0511					
检测项目		检测结果	标准范围	合格/不合格	
LEAK TEST: 3.0		4.5	4.5	合格/不合格	
BARK: 3.0		4.5	4.5	合格/不合格	
WIRING: 3.0		4.5	4.5	合格/不合格	
MISC: 21.5		21.5	21.5	合格/不合格	
TL: 28.4		28.4	28.4	合格/不合格	
IL: 14.1		14.1	14.1	合格/不合格	
VE: 6.2		6.2	6.2	合格/不合格	
检测人: _____					
检测日期: _____					

1.9. 094000-0306 Diesel Fuel Pump Warranty Instructions

(1) Product Warranty Conditions and Instructions

It is necessary to provide pictures, videos, or test reports detected by the diesel fuel pump inspection equipment when the diesel fuel pump is abnormal during use as evidence to feed back to the salesman. Abnormal conditions are properly explained such as: 1. Smoke, 2. Engine shake, 3. Difficulty starting the engine, 4. Engine noise, 5. oil leakage etc.

(2) Diesel Fuel Pump Warranty Coverage

Within 15 days after customer receives the 094000-0306 diesel fuel pump, if there is a performance failure and the product has no appearance damage, customer can choose to replace it or repair it;

If the 094000-0306 diesel fuel pump has performance problems during the warranty period (6-12 months), and it is confirmed that it is product's problems after testing, you can contact our salesmen to replace the same model or a reworked product with the same performance for free;

If the diesel fuel pump house has obvious scratches, it can only be repaired and it will be returned as it is if the product is confirmed to be fault-free.

▲ **Tips: For products not covered by warranty, our company can provide paid maintenance services. For**

products after paid repaired, the same performance problem will have a free warranty period within 3 months from the date of repairing.


(3) Diesel Fuel Pump Out of Warranty Coverage

- ① The warranty period has expired.
- ② Diesel fuel pump failure caused by high temperature, high pressure, humidity, rain and snow, saline-alkali land, earthquake, and used in abnormal environment.
- ③ Customer disassembles or repairs the diesel fuel pump personally resulting in damage to the diesel fuel pump.
- ④ Diesel fuel pump damage caused by man-made reasons (throwing, strong magnetic field magnetization, set fire).
- ⑤ Diesel fuel pump failure or diesel fuel pump damage caused by non-diesel fuel pump design, technology, manufacturing, quality, and other issues.
- ⑥ Diesel fuel pump failure due to system pressure exceeding system approved pressure.
- ⑦ Diesel fuel pump failure caused by system voltage exceeding approved voltage.
- ⑧ Diesel fuel pump failure caused by impurities (water, lead, aluminum powder, iron powder, sulfide) in the system fuel exceeding the standard requirements.
- ⑨ Diesel fuel pump failure caused by not installing according to the tightening torque specified in the vehicle engine maintenance manual (the tightening torque is too large or too small).
- ⑩ Diesel fuel pump failure caused by not following the installation angle specified in the vehicle engine maintenance manual.
- ⑪ Diesel fuel pump failure caused by not following the cleaning requirements specified in the vehicle engine maintenance manual.
- ⑫ Diesel fuel pump failure caused by failure to replace consumable parts as specified in the vehicle engine maintenance manual.
- ⑬ Diesel fuel pump failure caused by not complying with the intake system fit clearance and exhaust system fit clearance requirements specified in the vehicle engine maintenance manual.
- ⑭ Failure to replace the consumable parts and the fitting clearance of the oil inlet system pipeline and the diesel fuel pump connection in accordance with the fuel intake system specified in the vehicle engine maintenance manual.

2. 094000-0306 Diesel Fuel Pump Technical Support

2.1. 094000-0306 Diesel Fuel Pump Use location

NO.	Name
-----	------



2.2. 094000-0306 Diesel Fuel Pump Installation

(1) 094000-0306 Diesel Fuel Pump Installation Precautions:

- ① The replacement of the diesel fuel pump must strictly follow the electrical system, the approved pressure of the low-pressure fuel intake system, the approved pressure of the high-pressure fuel circuit system, and fuel system replacement consumables requirements (including the low-pressure fuel circuit system filter and the high-pressure fuel circuit) specified in the vehicle engine maintenance manual.
- ② Replacement of wearing parts of the fuel system, cleaning requirements for the connection between the fuel system and the diesel fuel pump, the fitting clearance of the diesel fuel pump connection, the installation angle and tightening torque of the diesel fuel pump, the fitting clearance of the intake system, and the fitting clearance of the exhaust system to ensure the service life of the engine and the normal operation of the diesel fuel pump.
- ③ When installing the diesel fuel pump on the engine, it is necessary to clean the engine block, cylinder head and other parts connected to the diesel fuel pump, and ensure that there is no dust, carbon deposits, water, rust spots, etc.
- ④ Failure to replace the sealing ring and shim may result in: deformation of the diesel fuel pump, oil leakage, and air leakage, which may cause serious damage to the diesel fuel pump, causing the fuel pump to break and damage the engine.
- ⑤ When installing the diesel fuel pump on the engine, please carefully check the components related to the installation of the diesel fuel pump, such as the diesel fuel pump pressure plate, screw, diesel fuel pump rod and other accessories are not deformed, and install it in strict accordance with the operation steps of the engine maintenance manual.
- ⑥ It is forbidden to operate the bare diesel fuel pump for a long time in an environment with serious dust pollution and corrosion to iron products.
- ⑦ It is forbidden to operate the bare diesel fuel pump for a long time in a strong magnetic field

environment.

2.3. 094000-0306 Diesel Fuel Pump Not Working Normally

- (1) There is air in the oil circuit of the engine fuel system.
- (2) Vehicle oil pump's oil supply system is not normal.
- (3) Engine common rail system oil leakage or pressure limiting valve damage.
- (4) There is a short circuit, cutting out and poor contact in the wiring harness connected to the diesel fuel pump of the vehicle.
- (5) The long-term placement of the diesel fuel pump causes the anti-rust oil to solidify, and the internal components are stuck or the oil holes are blocked.

▲ Before installing, carefully check whether other components in the common rail system except the diesel fuel pump are damaged to prevent the diesel fuel pump from not working properly after being replaced.

2.4. 094000-0306 Diesel Fuel Pump Causes of Being Damaged

- (1) Didn't operate properly according to engine maintenance manual during disassembly or installation, resulting in damage to the diesel fuel pump.
- (2) The fuel oil used for the vehicle does not meet the standard cause damage to the diesel fuel pump, such as: the water content in the fuel oil exceeds the standard, iron powder, aluminum powder, sulfide impurities exceed the standard, etc.
- (3) The engine is not regularly maintained according to the engine maintenance manual (please refer to the vehicle maintenance manual for the maintenance mileage). For example, failure to replace the lubricating oil of the engine system for a long time will cause abnormal wear of the engine, excessive exhaust gas volume or a large amount of carbon deposits inside the engine. The filter is not replaced during maintenance or the replaced filter cannot reach the original filter standard. all above reasons can cause damage to the diesel fuel pump.
- (4) The abrasion of the diesel fuel pump produces iron powder and aluminum powder enter the diesel fuel pump and cause damage to the diesel fuel pump.
- (5) The deformation and abrasion of fuel tank result in iron powder or aluminum powder entering the diesel fuel pump and causing damage to the diesel fuel pump.
- (6) The diesel fuel pump is damaged due to replacement or adjustment of the relevant parts of the diesel fuel pump. For example, the valve clearance does not meet the standard after the engine is repaired, the replacement or modification of the wiring harness connected to the diesel fuel pump fails to meet the original standard.
- (7) The engine is overheated and overloaded for a long-time working result in damage to the diesel fuel pump.
- (8) The diesel fuel pump will be damaged naturally at the end of its working life.
- (9) The diesel fuel pump is magnetized (diesel fuel pump parts' magnetic exceeded) causing the diesel fuel pump to not work properly.

▲ Before replacing the diesel fuel pump, please check the engine parts carefully according to the engine maintenance manual to avoid the diesel fuel pump being damaged again after replacement.

2.5. 094000-0306 Diesel Fuel Pump Technical Support Obtaining Methods

- (1) Diesel Fuel Pump Technical Data: <https://www.dieselfuelcrfueelpump.com/download/>
- (2) Diesel Fuel Pump Technical Videos: <https://www.dieselfuelcrfueelpump.com/videos/>

(3) Diesel Fuel Pump Encyclopedia: <https://www.dieselfuelcrfueelpump.com/category/news/encyclopedia/>

3. 094000-0306 Diesel Fuel Pump Purchase and Delivery

3.1. 094000-0306 Diesel Fuel Pump Purchase Payment Term

Payment Terms: T/T, PayPal, Alipay, WeChat

⚠ Please contact our salesmen for specific payment information.

3.2. 094000-0306 Diesel Fuel Pump Main Sales Markets

Diesel Fuel Pump Main Sales Markets: Asia, Europe, North America, South America, Africa etc.

3.3. 094000-0306 Diesel Fuel Pump Declaration Requirements

We can assist customers to provide the following documents for import customs clearance: contract, invoice, packing list, bill of lading, insurance policy, certificate of origin, etc.

3.4. 094000-0306 Diesel Fuel Pump Shipping Ways

Destination in China Areas: SF Express, Debon Express, the corresponding logistics company can be provided according to customer requirements in special cases.

Destinations Out of China's Areas: DHL, UPS, FedEx, TNT air, ocean or other shipping methods required by customers.

3.5. 094000-0306 Diesel Fuel Pump Lead Time

Lead Time: Send out within 3 – 7 working days after receiving payment (Except for special products and special cases) .

3.6. 094000-0306 Diesel Fuel Pump Logistics Time for Destination Out of China's Areas

DHL Logistics Time:

Country or Region of Departure	Hong Kong, China	Other Countries or Regions of Asia	Australia and New Zealand	Europe	America	Other Countries
China's Mainland	7 Days	7 Days	8 Days	8 Days	8-12 Days	7-10 Days

UPS Logistics Time: Country or Region of Departure: China's Mainland

Country of Destination	Estimated Arrival Time	Country of Destination	Estimated Arrival Time	Country of Destination	Estimated Arrival Time
Japan	3 Days	UK	5-7Days	Egypt	5-7 Days
Turkey	5-7 Days	Singapore	3 Days	Switzerland	5-7 Days
Bahrain	5-7 Days	Latvia	7-10 Days	New Zealand	7-10 Days
Sri Lanka	5-7 Days	Thailand	3 Days	Austria	5-7 Days
Romania	5-7 Days	Vietnam	3-5 Days	Estonia	5-7 Days
Malaysia	3-5 Days	Israel	5-7 Days	Mexico	7-10 Days
France	5-7 Days	America	5-7 Days	United Arab Emirates	5-7 Days
Italy	5-7 Days	Netherlands	5-7 Days	Bengal	7-10 Days
Lebanon	5-7 Days	Philippine	3-5 Days	Greece	7-10 Days

South Korea	3 Days	Spain	5-7 Days	Myanmar	5-7 Days
Canada	5-7 Days	Germany	5-7 Days	Saudi Arabia	7-10 Days
Portugal	5-7 Days	Australia	5-7 Days	South Africa	7-10 Days
Denmark	5-7 Days	Belgium	5-7 Days	Ukraine	7-10 Days
India	7-10 Days	Qatar	7-10 Days	Poland	5-7 Days
Indonesia	3-5 Days	Morocco	7-10 Days	Pakistan	7-10 Days
Kuwait	7-10 Days	/	/	/	/

⚠ The logistics time is for reference only and is subject to the actual arrival.

3.7. 094000-0306 Diesel Fuel Pump Packing

Domestic Express Packaging: Usually wrapped in waterproof scotch tape, such as picture No. 1.

International Express Packaging: Wrapped with waterproof yellow tape after wrapping the black protective film, such as picture No. 2.

Pallet Shipping: Use fumigation free and recycling trays that meet export requirements, and use white wrapping protective film to wrap and bind with cable ties for the outside, such as picture No. 3, also, the products can be packaged according to customers' requirements.

⚠ The packing tray is made of plastic and can be recycled.

⚠ Transparent tape, yellow tape, black wrapping protective film, white wrapping protective film are non-degradable materials, please dispose of them properly.

⚠ Minors are prohibited from using transparent tape, yellow tape, black wrapping protective film, and white wrapping protective film to avoid personal injury.

No.	1	2	3
Image			
Name	Domestic Express Packaging	International Express Packaging	Pallet Shipping
Description	Wrapped by transparent tape	Wrapped with yellow tape after wrapping black protective film	Use pallet that meet export requirements, and use white wrapping protective film to wrap and bind with cable ties

4. 094000-0306 Diesel Fuel Pump Storage Standard

(1) Choose a Suitable Storage Place

The warehouse and cargo yard where the diesel fuel pump is stored should be kept clean and dry, and

away from the factory buildings that generate harmful gases and dust; do not mix with acids, alkali, salt, and other substances; the storage place should have a good drainage system; the cargo yard should be flattened with gravel or furnace ash etc. to enhance the water permeability of the surface layer to keep the reservoir area dry.

(2) Strict Requirements of Warehousing

Strict inspections should be carried out when the diesel fuel pumps are put into storage, the surface cleaning work should be done well to remove water traces, oil stains, ashes, and other dirt, remove the rust and do anti-rust treatment in time. Packaged diesel fuel pumps must be protected from damage.

(3) Keep The Warehouse Dry And Preventing Moisture

The relative humidity is usually below 70% for the diesel fuel pumps placed in the room, and the corrosion of the diesel fuel pumps is significantly reduced.

Diesel fuel pumps must be stored in the warehouse, and they are forbidden to store in the same warehouse with commodities with high water content.

(4) Stack Properly

After the diesel fuel pump is exposed to rain, the corrosion rate will increase significantly. The purpose of sealing is to isolate the diesel fuel pump from rainwater and humid air, so the warehouse window should be checked in time to avoid rainwater entering the warehouse.

If the diesel fuel pump package is damaged, it should be repaired or replaced; when the package is damp, the packaging material should be dried; if the original anti-corrosion and oil applied at the factory is found to be damaged or dried up, it should be cleaned and re-applied oil in time.

- ⚠ It is forbidden to leave the diesel fuel pump exposed in the air for a long time.
- ⚠ It is forbidden to store acids, alkalis, salts, and other substances together with the diesel fuel pump.
- ⚠ The unpacked diesel fuel pump must be rust-proof during secondary storage.

5. Company Information



-  Office Locations
-  Global Exhibitions

5.1. Company Introduction

 **Mob Phone/WeChat:** +86-13410541523

 **HK Telephone:** +852-67653519

 **Telephone:** +86-755-23215133

 **Shenzhen Office:** 11-12, Floor 14, Building 13, Qinchengda Building, Exit A, Honglang North Subway Station, Bao'an District, Shenzhen, China's Mainland

 **Shenzhen Office:** Exit C, Qiao Touxu Metro Station, NO. 66 Chongqing Road, Fuhai Avenue, Bao'an District, Shenzhen, China Mainland

 **Hong Kong Office:** Jianfa Street Industrial Zone, Tuen Mun, New Territories, Hong Kong, China

 **After-sales Service Address:** Please contact our salesmen to obtain and provide the corresponding product maintenance reasons (Reference: [1.9. 094000-0306 Diesel Fuel Pump Warranty Instructions](#))

5.2. Contact Information

Name	WeChat/WhatsApp
Ruby	+86-13410541523

6. Copyright Statement

The copyright in all contents of the document titled “**094000-0306 Diesel Fuel Pump HPO Series Technical Data**” (including, without limitation, parameters, data, text, charts, images, sounds, and videos) is owned by www.dieseldcrfuelpump.com. No alteration of any content in the said document is permitted without the prior written consent of www.dieseldcrfuelpump.com. Any permitted dissemination, republication, or display of the contents of the “**094000-0306 Diesel Fuel Pump HPO Series Technical Data**” must clearly indicate that the cited material originates from www.dieseldcrfuelpump.com. Any use that fails to comply with the above conditions will constitute a violation of the “*Copyright Law of the People’s Republic of China*” and other applicable laws, regulations, and relevant international conventions.